


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 10/532,578
Int'l. Appl. No. : PCT/GB2003/005016
Priority Appl. No.: GB 0227267.2
Applicant : Bhavani Raghuraman *et al.*
Filed : November 4, 2005
Intern'l Filing date : November 19, 2003
Priority date: : November 22, 2002
Title : APPARATUS AND METHOD FOR ANALYSING
DOWNHOLE WATER CHEMISTRY
Confirmation No. : 4819
TC/A.U. : 2884
Examiner : Vu, Mindy D.

Docket N° : 57.0520 US PCT

I hereby certify that this correspondence is being electronically filed with the
United States Patent Office on August 10, 2007.


James Conner

August 10, 2007
Date

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendments
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Sir:

In accordance with 37 C.F.R. §1.56, 1.97 and 1.98, the Applicants wish to bring the reference materials listed in the attached Form PTO-1449 to the attention of the U. S. Patent and Trademark Office. Copies of the references are provided for the Examiner's convenience.

This statement is not to be interpreted as a representation that the cited publications are material, that an exhaustive search has been conducted, or that no other relevant information exists. Nor shall the citation of any publication herein be construed *per se* as a representation that such publication is prior art. Moreover, the Applicant understands that the Examiner will make an independent evaluation of the cited publications.

It is respectfully requested that these references be considered by the Examiner and formally made of record in this case.

This information disclosure statement is being filed after receipt of the first office action, therefore, the Commissioner is authorized to charge the fee of \$180.00 to Deposit Account No. 19-0615. If any other fees are due, the Commissioner is further authorized to charge or credit any deficiency/overpayment to Deposit Account No. 19-0615.

Respectfully submitted,



Vincent Loccisano
Registration N° 55,397

Schlumberger-Doll Research
P.O. Box 425045
Cambridge, MA 02142
Phone: (617) 768-2270
Fax: (617) 768-2402
Date: August 10, 2007